

Energy Performance Certificate

Durnsford Road, LONDON, SW19 8HQ

Dwelling type: end-terrace house
 Date of assessment: 23 September 2015
 Date of certificate: 23 September 2015

Reference number: 8815-7221-3390-8977-
 Type of assessment: RdSAP, existing dwelling
 Total floor area: 105 m²

Use this document to:


- Compare current ratings of properties to see which properties are more energy efficient
- Find out how you can save energy and money by installing improvement measures

Estimated energy costs of dwelling for 3 years:	£ 3,195
Over 3 years you could save	£ 1,242




Estimated energy costs of this home			
	Current costs	Potential costs	Potential future savings
Lighting	£ 339 over 3 years	£ 192 over 3 years	
Heating	£ 2,499 over 3 years	£ 1,521 over 3 years	
Hot Water	£ 357 over 3 years	£ 240 over 3 years	
Totals	£ 3,195	£ 1,953	

These figures show how much the average household would spend in this property for heating, lighting and hot water. This excludes energy use for running appliances like TVs, computers and cookers, and any electricity generated by microgeneration.

Energy Efficiency Rating



Top actions you can take to save money and make your home more efficient

Recommended measures	Indicative cost	Typical savings over 3 years	Available with Green Deal
1 Cavity wall insulation	£500 - £1,500	£ 147	
2 Internal or external wall insulation	£4,000 - £14,000	£ 675	
3 Floor Insulation (solid floor)	£4,000 - £6,000	£ 174	

See page 3 for a full list of recommendations for this property.

To find out more about the recommended measures and other actions you could take today to save money, visit www.direct.gov.uk/savingenergy or call 0300 123 1234 (standard national rate). The Green Deal may allow you to make your home warmer and cheaper to run at no up-front cost.